| POPULATION ESTIMAT | ES | LONG-TERM CARE | | LOCAL HEALTI | H DEPARTM | |
|---|---------------------------|---|-------------------------|---|-----------------------------|------------------------|
| Total 2004 Population 37,640 | | Community Options and MA as HSRS reports costs for | Staffing - FTE | Number | Per 10,000 Population | |
| Population per square mile County ranking in state (| 1-72) 45 | Clients COP 18 MA Waiver * | Costs \$166,694 | Administrative Public health nurse | 15.0 2.0 s 4.6 | 4.0 0.5 1.2 |
| Age Female Male 0-14 2,830 2,930 15-19 1,180 1,290 | Total 5,760 | MA Waiver * CIP1A 8 | \$371,203 | Other prof. staff Technical/Paraprof. | 3.4 | 0.9 |
| 20-24 890 940 25-29 770 830 | 2,470 1,820 1,600 | CIP1B 90 CIP2 86 COP-W 90 | \$875,549 \$612,763 | Funding | | |
| 30-34 910 1,020 35-39 1,220 1,230 40-44 1,570 1,580 | 1,930 2,450 3,150 | MA Waiver * CIP1A 8 CIP1B 90 CIP2 86 COP-W 90 CLTS 26 Brain Injury 5 Total COP/Wvrs 323 | \$114,458 \$172,671 | Funding Total Local Taxes | \$950,071 \$305,552 | \$25.18 \$8.10 |
| 45-54 3,120 3,140 55-64 2,490 2,510 | 5,010 | \$196,562 of the above | waiver costs | | | |
| 65-74 2,010 1,970 75-84 1,260 1,060 85+ 600 290 | 3,980 2,330 890 | were páid as local match using COP funds. This a not included in above CO | mount is | Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming | Capacity 45 1,688 | Facilities 11 35 |
| Total 18,850 18,790 Age Female Male | 37,640 Total | * Waiver costs reported include federal funding | here | Hotels, Motels Tourist Rooming Pools | 3,117 529 | 184 188 20 |
| 0-17 3,530 3,650 18-44 5,840 6,170 | 7,180 12,000 | Clients | Costs | Restaurants Vending | | |
| 45-64 5,610 5,650 65+ 3,870 3,320 Total 18,850 18,790 | 11,280 7,200 37,640 | Eligible and Waiting 20 | n/a | | | |
| Poverty Estimates for 2000 | | (Family Care not provided | in county) | WIC PART | ICIPANTS | |
| Estimate All ages 2,719 7.4% | (C.1.+/-) 194 (7%) | Note: Eligible and waitin will be phased into the Waivers as available. | g clients COP and MA | Pregnant/Postpartum Infants | | 310 |
| All ages 2,719 7.4% Ages 0-17 703 8.6% | 84 (12%) | Waivers as available. | | Children, age 1-4 Total | | 407 1,028 |
| EMPLOYMENT Average wage for jobs covere | d | Home Health Agencies | 1 | CANCER INCI Primary Site | DENCE (20 | , |
| by unemployment compensation (place of work) | | Patients Patients per 10,000 pop. | | Breast Cervical Colorectal | | 45 3 41 |
| Labor Force Estimates | Average | Nursing Homes Licensed beds | 10 1,040 | Lung and Bronchus Prostate Other sites | | 34 35 111 |
| Labor Force Estimates Civilian Labor Force Number employed Number unemployed Unemployment rate | 19,580 1,211 | Residents on Dec.31 Residents age 65 or olde | 945 r | Total | _ | 269 |
| Unemployment rate | 5.8% | per 1,000 population | 47 | Note: Totals shown a invasive cance | | |

| | | | NATA | ALTTY | | | | |
|--|----------|--------------|--|----------|---------------|-----------------------------|------------|----------|
| TOTAL LIVE BIRTHS | | 333 | Birth Order | | Percent | Marital Status | | |
| TOTAL LIVE BITTING | | 000 | First | 144 | 43 | of Mother | Births | Percent |
| Crude Live Birth Rate | | 8.8 | | | | Married | 253 | 76 |
| General Fertility Rat | 0 | 51.1 | Second Third Fourth or higher Unknown | /Ω | 14 | Not married | 80 | 24 |
| delieral Fertility hat | E | 31.1 | Founth on highen | 40 | 0 | Unknown | 0 | 0 |
| live binthe with neme | ام ــ ا | | Fourth or littlier. | 20 | 0 | Ulikilowii | U | U |
| Live births with repo congenital anomalies | rtea | 0 4 00 | Unknown | 0 | U | Education | | |
| congenital anomalies | | 6 1.8% | | | | Education | Diameter. | Danasa |
| | | | | | | of Mother | Births | Percent |
| Delivery Type | Births | Percent | 1st Prenatal Visit | | | Elementary or les | SS 1 | <.5 |
| Vaginal after | | | 1st trimester | 299 | 90 | Some high school | 28 | 8 |
| previous cesarean | 5 | 2 | 2nd trimester | 27 | 8 | High school | 97 | 29 |
| Forceps | 0 | 0 | 3rd trimester | 5 | 2 | High school Some college | 103 | 31 |
| Other vaginal | 245 | 74 | No visits | 1 | <.5 | College graduate | 103 | 31 |
| Forceps Other vaginal Primary cesarean | 57 | 17 | 2nd trimester 3rd trimester No visits Unknown | 1 | <.5 | Unknown | 1 | <.5 |
| Repeat cesarean | 26 | 8 | | | | | | |
| ' | | | Prenatal Visits | Births | Percent | Smoking Status | | |
| Birthweight | Births | Percent | No visits | 1 | | of Mother | Births | Percent |
| <1.500 am | 1 | 0.3 | 1-4 | 5 | 2 | Smoker | 61 | 18 |
| 1.500-2.499 gm | 30 | 9.0 | 5-9 | 33 | 10 | Nonsmoker | 272 | 82 |
| <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown | 301 | 90.4 | 10-12 | 142 | | Unknown | - 0 | 0 |
| Unknown | 1 | < 5 | 13+ | 152 | 46 | | • | - |
| | • | | Unknown | 0 | 0 | | | |
| | | | | | | | | |
| | | | Low Birthweight | | Trimest | er of First Prenatal | l Visit | |
| | | | (under 2,500 gm) | 1st Tr | imester | 2nd Trimester | Other/ | 'Unknown |
| Race/Ethnicity | Births F | Percent | `Births Percent | Births | Percent 90 | Births Percent | Births | Percent |
| White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown | 311 | 93 | 30 9.6 | 281 | 90 | 24 8 | 6 | 2 |
| Black/Afr.American | 1 | <.5 | * . | * | | * . | * | |
| American Indian | 7 | 2 | | 7 | 100 | | | |
| Hispanic/Latino | 7 | 2 | | 6 | 86 | | 1 | 14 |
| Laotian/Hmong | 1 | <.5 | * . | * | _ | * . | * | _ |
| Other/Unknown | 6 | 2 | 1 16.7 | 3 | 50 | 3 50 | _ | |
| | | . | | | | | | |
| | | | Low Birthweight | | Trimest | er of First Prenatal | l Visit | |
| | Fe | ertility | (under 2,500 gm) | 1st Tr | imester | 2nd Trimester | Other/ | 'Unknown |
| Age of Mother | Births | Rate | `Births Percent´ | Births | Percent | Births Percent | | Percent |
| <15 | 0 | | | | | | | |
| 15-17 | 7 | 10 | 1 14.3 | 3 | 43 | 3 43 | i | 14 |
| 18-19 | 12 | 25 | | 10 | 83 | 2 17 | | |
| 20-24 | 66 | 74 | 5 7.6 | 59 | 89 | 7 11 | • | • |
| 25-29 | 117 | 153 | 12 10.3 | 107 | 91 | 9 8 | i | i |
| 30-34 | 84 | 93 | 8 9.5 | 79 | 94 | 4 5 | 1 | i |
| 35-39 | 39 | 32 | 5 12.8 | 34 | 87 | 2 5 | 3 | 8 |
| 40+ | 8 | 52 5 | J 12.0 | 7 | 88 | 2 5 | ى 1 | 13 |
| Unknown | 0 | 5 | | 1 | 00 | | 1 | 13 |
| UIIKIIOWII | U | | | • | • | | • | • |
| Teenage Births | 19 | 16 | * Data not | reported | if age or | race category has le | ess than 5 | births. |

| MORBIDITY | | | | | | |
|---|--------------------------------|--------------------------|---------------------------|--|-----------------------|-------------|
| REPORTED CASES OF SELECTED DISEASES* | neonatal, and Perinatal and | l postneom I fetal de | natal death eath rates | per 100,000 population. rates are per 1,000 li are per 1,000 live birt culated for fewer than | ve births. hs plus | |
| Disease Number | TOTAL DEATHS | | 422 | Selected | | |
| Campylobacter Enteritis 5 | Crude Death Ra | ite | 1,121 | Underlying Cause | Deaths | Rate |
| Giardiasis <5 Hepatitis Type A <5 | | | | Heart Disease (total) Ischemic heart disea | | 295 175 |
| Hepatitis Type A <5 | Age | Deaths | Rate | Cancer (total) | 106 | 282 |
| Hepatitis NANB/C 13 | 1-4 | Deaths | nace | Trachea/Bronchus/Lun | | 85 |
| Legionnaire's 0 | 5-14 | 2 | | Colorectal | 8 | |
| Lyme 52 | 15-19 | 3 | | Female Breast | 8 | .* |
| Méasles 0 | 20-34 | 7 | | Cerebrovascular Disea | | 53 |
| Meningitis, Aseptic 0 | 35-54 | 29 | 244 | Lower Resp. Disease | 26 | 69 |
| Meningitis, Bacterial 0 | 55-64 | 33 | 659 | Pneumonia & Influenza | | |
| Mumps 0 | 65-74 | 88 | 2,212 | Accidents | 1 <u>6</u> | • |
| Pertussis 25 Salmonellosis <5 | 75 - 84 85+ | 137 | 5,882 13,565 | Motor vehicle Diabetes | 7 9 | • |
| Shigellosis <5 | 85+ | 121 | 13,505 | Infect./Parasitic Dis | | • |
| Tuberculosis <5 | | | | Suicide | 8 | • |
| Tubel outsols | Infant | | | | Ü | • |
| * 2004 provisional data. | Mortality | Deaths | Rate | * Based on female pop | ulation. | |
| ** Includes all positive HBsAg | Total Infant | 2 | | 1 ' ' | | |
| test results. | Neonatal | | | ALCOHOL AND DRUG ABUS | | |
| | Postneonatal | 2 | | OR CONTRIBUTING CA | USE OF DEAT | ГН |
| 0 11 7 11 12 | Unknown | • | • | | _ | |
| Sexually Transmitted Disease Chlamydia Trachomatis 42 | Race of Mother | | | Alcohol Tobacco Use | 5 | 284 |
| Chlamydia Trachomatis 42 Genital Herpes 18 | White | 2 | | Other Drugs | 3 | |
| Gonorrhea 6 | Black | 2 | • | Other brugs | 3 | • |
| Syphilis 0 | Hispanic | • | • | | | |
| G () | Laotian/Hmong | | | MOTOR VEHIC | LE CRASHES | |
| | Other/Unknown | • | | İ | | |
| | | | | Note: These data are | | |
| IMMUNIZATIONS | Birthweight | | | of crash, not | on residenc | ce. |
| Obildren in Oradaa K 40 hu | <1,500 gm | • | | Tuna of Maton | Damas - 1 | |
| Children in Grades K-12 by | 1,500-2,499 gm | 2 | • | Type of Motor Vehicle Crash Total Crashes | Persons F | rillad |
| Compliance Level | 2,500+ gm Unknown | 2 | • | Total Crashes | Injured 341 | Killed 4 |
| Compliant 5,707 Non-compliant 89 | Olikilowii | - | • | Total Crashes Alcohol-Related With Citation: | 60 | 0 |
| Percent Compliant 98.5 | Perinatal | | | With Citation: | 00 | J |
| 3310 | Mortality | Deaths | Rate | For OWI | 40 | 0 |
| | Total Perinatal | 3 | | For Speeding Motorcyclist | 17 | Ō |
| | Neonatal | • | | Motorcyclist | 17 | 0 |
| | Neonatal Fetal | 3 | | Bicyclist | 9 | 0 |
| | | | | Pedestrian | 1 | 0 |

| DISEASE / | | Per 1,000 | Average Stay | | - 2004 HOSP Charge Per | DISEASE / | | Per 1,000 | Average Stay | | Charge Per |
|-------------------------|------------|--------------|-----------------|--------------------|------------------------------|--------------------------|--------------|--------------|-----------------|-----------|----------------------|
| AGE GROUP | Number | Pop | (Days) | | Capita | AGE GROUP | Number | Pop | (Days) | | Capita |
| AGE GROUP | Number | rup | (Days) | Char ge | Capita | AGE GROOP | Number | Fup | (Days) | Char ge | Capita |
| Injury-Related | : All | | | | | Alcohol-Related | | | | | |
| Ťotál | 421 | 11.2 | 4.4 | \$17,959 | \$201 | Total | 109 | 2.9 | 3.9 | \$6,765 | \$20 |
| <18 | 32 | 4.5 | | \$22,876 | \$102 | 18-44 | 64 | 5.3 | 3.8 | \$5,868 | \$31 |
| 18-44 | 85 | 7.1 | 3.2 | \$15,662 | \$111 | 45-64 | 31 | 2.7 | 4.4 | \$8,457 | \$23 |
| 45-64 | 71 | 6.3 | 4.9 | \$20,419 | \$129 | Pneumonia and 1 | Influenza | | | . , | |
| 65+ | 233 | 32.4 | 4.8 | | \$562 | Total | 210 | 5.6 | 5.0 | \$13,364 | \$75 |
| Injury: Hip | Fracture | | | . , | • | <18 | 11 | | | | |
| Ťotál ' | 50 | 1.3 | 5.5 | \$20,126 | \$27 | 45-64 | 35 | 3.1 | 4.2 | \$13,204 | \$41 |
| 65+ | 46 | 6.4 | 5.7 | | \$130 | 65+ | 150 | 20.8 | 5.3 | \$13,459 | \$280 |
| Injury: Pois | oninas | • • • | | +, | Ψ | Cerebrovascular | | | | , | 4 _00 |
| Total | 28 | 0.7 | 2.5 | \$8,236 | \$6 | Total | 154 | 4.1 | 3.9 | \$16,035 | \$66 |
| 18-44 | 15 | | | • | • | 45-64 | 28 | 2.5 | 3.1 | | \$50 |
| 10 11 | 10 | • | • | • | • | 65+ | 126 | 17.5 | 4.1 | | \$264 |
| Psychiatric | | | | | | Chronic Obstruc | | onary [| | Ψ10,000 | ΨΣΟΨ |
| Total | 250 | 6.6 | 6.0 | \$8,211 | \$55 | Total | 117 | 3.1 | 3.6 | \$9,743 | \$30 |
| <18 | 36 | 5.0 | 6.6 | \$6,995 | \$35 | | | • | | | • |
| 18-44 | 134 | 11.2 | 5.1 | \$7,298 | \$82 | <18 18-44 45-64 | 3 | : | | | |
| 45-64 | 50 | 4.4 | 7.3 | \$10,264 | \$46 | 15-44 | 18 | | • | • | • |
| 65+ | 30 | 4.2 | 7.0 | \$10,328 | \$43 | 65+ | 86 | 11.9 | 4.1 | \$10,590 | \$126 |
| 05+ | 30 | 4.2 | 7.0 | \$10,326 | Ψ40 | Drug-Related | 80 | 11.9 | 4.1 | \$10,590 | Φ120 |
| Cananany Haant | Dicesso | | | | | Total | 47 | 1.2 | 7.4 | \$8,279 | \$10 |
| Coronary Heart Total | 446 | 11.9 | 2.0 | \$23,442 | \$278 | 18-44 | 47 29 | 2.4 | 7.4 5.2 | \$7,029 | \$10 \$17 |
| 45-64 | 125 | 11.1 | | \$23,442 | \$276 \$256 | 10-44 | 29 | 2.4 | 5.2 | \$7,029 | φ17 |
| 45-04 65+ | | | 2.1 | Φ23,103 Φ04,040 | | Total Hagnitali | izationo | | | | |
| 05+ | 301 | 41.8 | 3.5 | \$24,010 | \$1004 | Total Hospitali Total | LZations | 147 0 | 2.0 | Φ10 GEE | #0.000 |
| lalianant Naan | 1.0mg (Co. | | | | | 10ta1 <18 | 5,534 598 | 83.4 | 3.9 | \$13,655 | \$≥,008 \$515 |
| Malignant Neop | | | ATT | Φ04 500 | 64.4.4 | | | | 3.2 | | |
| Total | 221 | 5.9 | 6.0 | \$24,530 | \$144 | 18-44 | 1,052 | 87.7 | 3.3 | \$9,870 | \$866 |
| 18-44 | 12 | | • | | | 45-64 | 1,105 | 98.0 | 3.7 | | \$1,560 |
| 45-64 | 60 | 5.3 | | \$20,997 | \$112 | 65+ | 2,779 | 386.0 | 4.4 | \$15,801 | \$6,099 |
| 65+ Na 1 | 146 | 20.3 | 6.1 | \$23,566 | \$478 | | SEVENTABLE | HOODE | | 01104 | |
| Neoplasms: F | | , | | | . , | PF | | | | | |
| Total | 10 | | | | | Total | 767 | 20.4 | | \$11,555 | \$235 |
| Neoplasms: C | o⊥o-rectai | Ι | | *** | 4.4 | <18 | 53 | 7.4 | 2.1 | \$4,805 | \$36 |
| Total | 23 | 0.6 | 7.7 | | \$18 | 18-44 | 49 | 4.1 | 3.4 | | \$44 |
| 65+ | 21 | 2.9 | 7.7 | \$30,482 | \$89 | 45-64 | 134 | 11.9 | 4.0 | | \$158 |
| Neoplasms: L | | | | | | 65+ | 531 | 73.8 | 4.2 | \$11,853 | \$874 |
| Total | 21 | 0.6 | 5.0 | \$19,930 | \$11 | | | | | | |
| Diabetes | | | | | | * Hospitalizations | s for cond | itione | where + | imelv and | offecti |
| Total | 58 | 1.5 | 5 Ω | \$20,584 | \$32 | ambulatory care ca | n reduce | the lil | wiler E L | of hoeni | taliouti taliouti |
| 65+ | 26 | 3.6 | 5.6 6.5 | \$20,364 | \$73 | i amburatory care ca | iii i euuce | CHE TI | (ETTI1000 | or moshr | Calleatt |
| UOT | ∠0 | 0.0 | 0.0 | Ψ ∠U , 332 | ΦΙΟ | 1 | | | | | |